


GENERAL NOTES:

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS AND ENGINEERS DRAWINGS AND SPECIFICATIONS.
2. DO NOT SCALE THIS DRAWING. ANY AMBIGUITIES, OMISSIONS AND ERRORS ON DRAWINGS SHALL BE BROUGHT TO THE ENGINEERS ATTENTION IMMEDIATELY. ALL DIMENSIONS MUST BE CHECKED / VERIFIED ON SITE.
3. ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
4. FOR GENERAL NOTES REFER TO DRAWING.



FFL 9.630

COMPACTED GRAVEL SURFACING WILL BE FULLY PERMEABLE

CLASS 1 FULL RETENTION SEPARATOR SPEL P800/1CSC (OR SIMILAR)

POTENTIAL FOR EXPOSED PIPE, OR BUILD UP OF LOCAL LEVELS TO RAISE OUTFALL INVERT LEVEL


SUITABLE EROSION CONTROL MEASURES TO BE INCLUDED BY HEADWALL

PCC HEADWALL HEADWALL LOCATION AND ARRANGEMENT TO BE AGREED WITH LLFANRW HEADWALL TO INCLUDE NON-RETURN FLAP VALVE (TO PREVENT BACKWASH OF SILT) AND SUITABLE ACCESS ARRANGEMENTS. FREE DISCHARGE IN TO EBBW RIVER.

NO FOUL DRAINAGE FROM MAIN BUILDING ON THIS SIDE

KEY

- PROPOSED PRIVATE SURFACE WATER DRAIN
- PROPOSED PRIVATE SURFACE WATER MANHOLE
- PROPOSED PRIVATE FOUL WATER DRAIN
- PROPOSED PRIVATE FOUL WATER MANHOLE



P05	MASTERPLAN LAYOUT REVISED	20/20/19	TN	DJ
P04	SURFACE WATER MOVED FOR EARTHWORKS, FOUL SIMPLIFIED DUE TO REDUCED REQUIREMENTS	16/12/19	TN	DJ
P03	SURFACE WATER AND FOUL UPDATED FOLLOWING RECEIPT OF UPDATE LAYOUT	09/12/19	SCD	DJ
P02	ATTENUATION AND PACKAGE TREATMENT PLANT MOVED UNDER COMPACTED GRAVEL SURFACING	30/09/19	TN	DJ
P01	FIRST ISSUE	04/09/19	TN	DJ
Rev:	Description:	Date:	By:	Chkd:



3 Overly Parc, Earlswood Road, Cardiff, CF14 5GH
 029 2068 9900
 cardiff@curtins.com
 www.curtins.com

Status: **PLANNING** S2

Project: **ABP NEWPORT DOCKS**

Dig Title: **DRAINAGE STRATEGY**

Size:	Date:	Drawn By:	Designed By:	Checked By:
A1	04/09/2019	TN	TN	DJ
Scale:	1:500			
Project No:	Originator:	Volume:	Level:	Type:
72689	CUR	00	XX	DR